
1. A compound of Formula I

5

10



or a pharmaceutically acceptable salt thereof, wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is selected from the group consisting of H and methyl.

2. The compound as recited in claim 1 wherein:

R₁ is H; and

R₂ is selected from the group consisting of H and methyl.

3. The compound as recited in claim 1 wherein:

R₁ is H; and

 R_2 is H.

4. The compound as recited in claim 1 wherein:

R₁ is H; and

R₂ is methyl.

25

5. The compound as recited in claim 1 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of hydrogen and methyl.

6. The compound as recited in claim 1 wherein:

22


 R_1 is methyl; and

- The compound as recited in claim 1 wherein:
- R_1 is methyl; and
- R₂ is methyl. 5

10

C)

- 8. The compound as recited in claim 1 wherein:
- R₁ is selected from the group consisting of hydrogen and methyl; and R₂ is hydrogen.
 - 9. The compound as recited in claim 1 represented by Formula II



or a pharmaceutically acceptable salt thereof, wherein:

- R, is selected from the group consisting of H and methyl; and
- R₂ is selected from the group consisting of H and methyl.
 - 10. The compound as recited in daim 9 wherein:
- R₁ is H; and
- R, is selected from the group consisting of A and methyl. 20
 - 11. The compound as recited in claim\9 wherein:
 - R₁ is H; and
 - R, is H.
 - - 12. The compound as recited in claim 9 wherein:
 - R₁ is H; and
 - R₂ is methyl.
- 30 13. The compound as recited in claim 9 wherein:

R₁ is methyl; and

R, is selected from the group consisting of H and methyl.

- 14. The compound as recited in claim 9 wherein:
- 5 R₁ is methyl; and

R₂ is H.

15. The compound as recited in claim 9 wherein:


R₁ is methyl; and

- 10 R_2 is methyl.
 - 16. The compound as recited in claim 9 wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is H.

17. The compound as recited in claim 1 represented by Formula III



20

or a pharmaceutically acceptable salt thereof, wherein:

R, is selected from the group consisting of H and methyl; and

R, is selected from the group consisting of H and methyl.

25 18. The compound as recited in claim 17 wherein:

R₁ is H; and

R, is selected from the group consisting of H and methyl

19. The compound as recited in claim 17 wherein:

 R_1 is H; and

R₂ is H.

20. The compound as recited in claim 17 wherein:

R₁ is H; and

R₂ is methyl.

10

5

21. The compound as recited in claim 17 wherein:

R, is methyl; and

R₂ is selected from the group consisting of hydrogen and methyl.

22. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is H.

23. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is methyl.

24. The compound as recited in claim 17 wherein:

R₁ is selected from the group consisting of hydrogen and methyl; and

R₂ is hydrogen.

25

30

- 25. A compound as recited in claim 1 wherein the compound is the S enantiomer.
- 26. A compound as recited in claim 1 wherein the compound is the R enantiomer.
- 27. A compound as recited in claim 1 wherein the compound is the E isomer.
- 28. A compound as recited in claim 1 wherein the compound is the Z isomer.